
Forklift Systems Ph: 1800 688 788 or +61 2 9897 5111 sales@forkliftsystems.com.au www.forkliftsystems.com.au




## **Type DR-NC Drum Rotator**

The type DR-NC Drum Rotator is designed to lift and rotate 205 litre Drums through 360° above the chest height of the Operator. A Hand Chain is used to rotate the Drum via a Gearbox for controlled rotation. A Chain Belly Strap with an eccentric lock holds the Drum firmly in position.

This slip-on attachment requires only the connection of a safety chain to the Forklift. The standard finish of this unit is Hot Dip galvanised.


## **SPECIFICATIONS:**

- Safe Working Load (SWL) 500kg
- Unit Weight 100kg
- 360° Rotation
- Load Centre 930mm
- Pocket Size 165 x 65
- Pocket Centres 820mm
- Horizontal C of G 750mm



Forklift Systems Ph: 1800 688 788 or +61 2 9897 5111 sales@forkliftsystems.com.au www.forkliftsystems.com.au www.forkliftsystems.com.au

## **Type DR-NC Drum Rotator with PBO Option**



The type DR-NC Drum Rotator with the PBO Cradle fitted is designed to lift and rotate plastic Drums and Barrels as well as 205 litre steel Drums through 360° above the chest height of the Operator. A Hand Chain is used to rotate the Drum/Barrel via a Gearbox for controlled rotation. The dual Woven/Chain combination Belly Straps holds the Drum/Barrel firmly in position.

This slip-on attachment requires only the connection of a safety chain to the Forklift. The standard finish of this unit is Hot Dip galvanised.

## **SPECIFICATIONS:**

- Safe Working Load (SWL) 350kg
- Unit Weight 130kg
- 360° Rotation
- Load Centre 940mm
- Pocket Size 165 x 65
- Pocket Centres 820mm
- Horizontal C of G 800mm

